

Material Safety Data Sheet

NFPA	HMIS	WHMIS	TDG	DOT
Flammability Health 1 0 Instability Special	Health 1 Flammability 0 Physical hazards 0 Suggested PPE E	$\left(\mathbf{F} \right)$	-	-

Product name SPREAD IT & FORGET IT® plus Dimension 0.15% Herbicide						
Synonym	TOW Southern Dimension Fertilizer (with .15% Dimension)	MSDS prepared by the Environment, Health & Safety Department on:	07/01/2014			
Material uses	Fertilizer.	Version	1.01			
Product Code	EPA Reg. No. 62719-483-84886	In case of emergency call Ch USA/Canada +1.800.424.9300	emtrec day or night			
MSDS Number	6000272	Outside USA/Canada +1.703.527.3887 (collect calls accepted)				
Manufacturer	Koch Agronomic Services, LLC 4111 E 37th St N Wichita, KS 67220	For more information on KAS or ou please go to: http://www.kasturf.com or contact us at Toll-Free: 855.228.				

2. Hazards Identification				
Physical state	Solid.			
Odor	Odorless.			
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).			
Routes of entry	Inhalation. Ingestion. Dermal contact.			
Potential acute health effect	ts			
Inhalation	No known significant effects or critical hazards.			
Ingestion	No known significant effects or critical hazards.			
Skin	No known significant effects or critical hazards.			
Eyes	No known significant effects or critical hazards.			

Potential chronic health effects

Chronic effects Contains material that may cause target organ damage, based on animal data.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

2. Hazards Identification

Target organs Contains material which may cause damage to the following organs: gastrointestinal

tract, upper respiratory tract, skin.

Contains material which does not cause damage to the following organs: eye, lens or

cornea.

Over-exposure signs/symptoms

InhalationNo specific data.IngestionNo specific data.SkinNo specific data.

Eyes No specific data.

Medical conditions aggravated by over-

Pre-existing disorders involving any target organs mentioned in this MSDS as being

at risk may be aggravated by over-exposure to this product.

exposure

See toxicological information (Section 11)

3. Composition / Information on Ingredients

United States

<u>Name</u>	CAS number	<u>%</u>
urea	57-13-6	60 - 100
potassium chloride	7447-40-7	5 - 10
Limestone	1317-65-3	4.5 - 9
3,5-Pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-	97886-45-8	0.15
(trifluoromethyl)-,S,S-dimethyl ester		

Canada

NameCAS number%urea57-13-660 - 100Limestone1317-65-34.5 - 9

<u>Mexico</u> <u>Classification</u>

Name CAS number UN number % IDLH H F R Special

Limestone 1317-65-3 Not 4.5 - 9 - 0 0 0

available.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First Aid Measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek medical

advice if symptoms or conditions persist.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes

while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Seek medical advice if irritation or symptoms persist.

Inhalation If inhalation occurs, remove individual(s) to fresh air. Loosen restrictive clothing items if

necessary. If individual has irregular or difficulty breathing or is under respiratory arrest seek medical attention immediately. If other conditions or symptoms develop contact a

physician.

First Aid Measures 4.

Ingestion If ingestion occurs, rinse mouth with copious amounts of water. Do Not induce vomiting

unless directed to do so by trained medical personnel. Do Not give anything by mouth to

unconcious individuals. Seek immediate medical attention.

Protection of first-

aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5 . **Fire-fighting Measures**

Flammability of the

product

No specific fire or explosion hazard.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable None known.

Special exposure

hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

Special protective equipment for fire-

fighters

Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental Release Measures 6.

Personal precautions No action shall be taken involving any personal risk or without suitable training.

> Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment (see Section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, or air).

Methods for cleaning up

Small spill Move containers from spill area. Vacuum or sweep up material and place in a

designated, labeled waste container. Dispose of via a licensed waste disposal

contractor.

Move containers from spill area. Approach release from upwind. Prevent entry into Large spill

sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and

section 13 for waste disposal.

7. Handling and Storage

Handling Put on appropriate personal protective equipment (see Section 8). Eating, drinking

and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

Storage Store in accordance with local regulations. Store in original container protected from

direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children.

8. Exposure Controls / Personal Protection

United States

Ingredient	Exposure limits
urea	AIHA WEEL (United States, 5/2010).
	TWA: 10 mg/m ³ 8 hour(s).
Limestone	ΦSHA PEL (United States, 6/2010).
	TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction
	TWA: 15 mg/m³ 8 hour(s). Form: Total dust

Canada

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)		Ceiling					
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
Limestone	AB 4/2009 BC 9/2010	-	-	10	-	- 20	-	-	-	-	[3]
	ON 6/2008 QC 6/2008	- - -	- - -	3 10 10 10	- - -	- - -	- - -	- - -	- - -	- - -	[a] [b] [c] [d]
urea	US AIHA 5/2010	-	-	10	-	-	-	-	-	-	

[3]Skin sensitization

Form: [a]Respirable dust [b]Total dust [c]total dust [d]Total dust.

<u>Mexico</u>

Ingredient	Exposure limits	
Limestone	NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 10 mg/m³ 8 hour(s). LMPE-CT: 20 mg/m³ 15 minute(s).	

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

8. Exposure Controls / Personal Protection

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing.

Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Personal protection

Respiratory Use a properly fitted, air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Hands Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this

is necessary.

Eyes Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to dusts.

Skin Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist before

handling this product.

Personal protective

equipment (Pictograms)







Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and Chemical Properties

Physical state Solid.

Color multiple colors

 Odor
 Odorless.

 VOC
 0 % (w/w)

10. Stability and Reactivity

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous Under normal conditions of storage and use, hazardous polymerization will not occur. **polymerization**

Conditions to avoid No specific data.

Materials to avoid No specific data.

Hazardous Under normal conditions of storage and use, hazardous decomposition products

decomposition products should not be produced.

10. Stability and Reactivity

Conditions of reactivity Non-flammable in the presence of the following materials or conditions: open flames,

sparks and static discharge.

Non-explosive in the presence of the following materials or conditions: open flames,

sparks and static discharge.

<u>11 .</u>	<u>Toxic</u>	<u>ologi</u>	<u>ical I</u>	<u>nform</u>	<u>ation</u>

United States

Acute toxicity

Product/ingredient name **Species** Result Dose **Exposure**

LD50 Oral Rat - Male. urea 14300 mg/kg

Female potassium chloride LD50 Oral Rat 2600 mg/kg **TDLo** Limestone Rat 30 mg/kg

Intravenous

Conclusion/Summary Very low toxicity to humans or animals.

Chronic toxicity

Conclusion/Summary Very low toxicity to humans or animals.

Species Product/ingredient name Observation Result Score Exposure

urea Skin - Edema Rabbit 0 Skin -Rabbit 0 Erythema/Eschar Eyes - Cornea Rabbit 0.9 opacity

Eyes - Iris lesion

Rabbit

0.4

Skin Not considered a sensitizer

Respiratory Not considered a sensitizer

Carcinogenicity

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Classification

Product/ingredient name **ACGIH IARC EPA** NIOSH NTP **OSHA** urea Α5 4

Mutagenicity

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Teratogenicity

Conclusion/Summary Not classified as carcinogenic, teratogenic and mutagenic

Reproductive toxicity

Conclusion/Summary Not considered to be toxic to the reproductive system.

Canada

Acute toxicity

Product/ingredient name Result **Species Dose Exposure**

11. Toxicologic				
Limestone	TDLo	Rat	30 mg/kg	-
uroo	Intraveno LD50 Ora		14300 mg/kg	
urea	LD30 Ora	Female	14300 Hig/kg	-
Conclusion/Summary	Very low toxicity to humar	ns or animals.		
Chronic toxicity				
Conclusion/Summary	Very low toxicity to humar	ns or animals.		
Product/ingredient name		Species	Score Exposure	Observation
urea	Skin - Ed Skin -	ema Rabbit Rabbit	0 - 0 -	- -
	Erythema	n/Eschar	-	
	Eyes - Co opacity	ornea Rabbit	0.9 -	-
	Eyes - Iris	s lesion Rabbit	0.4 -	-
<u>Sensitizer</u>				
Conclusion/Summary	Not available.			
Skin	Not considered a sensitize	er		
Respiratory	Not considered a sensitize	er		
Carcinogenicity				
Conclusion/Summary	Not classified as carcinog	enic, teratogenic and r	nutagenic	
<u>Classification</u>				
Product/ingredient name urea	ACGIH A5	IARC EPA 4 -	NIOSH NTP	OSHA -
<u>Mutagenicity</u>				
Conclusion/Summary	Not classified as carcinog	enic, teratogenic and r	mutagenic	
<u>Teratogenicity</u>				
Conclusion/Summary	Not classified as carcinog	enic, teratogenic and r	mutagenic	
Reproductive toxicity				
Conclusion/Summary	Not considered to be toxic	c to the reproductive sy	vstem.	
<u>Mexico</u>				
Acute toxicity				
Product/ingredient name Limestone	Result TDLo Intraveno	Species Rat us	Dose 30 mg/kg	Exposure -
Conclusion/Summary	Very low toxicity to humar	ns or animals.		
Chronic toxicity				
Conclusion/Summary	Very low toxicity to humar	ns or animals.		
<u>Sensitizer</u>				
Conclusion/Summary	Not available.			
Gonola Glori, Galliniar y				
Skin	Not considered a sensitize	er		

11. Toxicological Information							
Paeniratory	Not consider	rad a cancit	·i70r				
Carcinogenicity							
Conclusion/Summary	Not classifie	d as carcin	ogenic, terato	ogenic and m	ıutagenic		
<u>Classification</u>							
Product/ingredient name urea	ACGIH IARC EPA NIOSH NTP OSHA A5 4						
<u>Mutagenicity</u>							
Conclusion/Summary	Not classifie	d as carcin	ogenic, terato	ogenic and m	ıutagenic		
<u>Teratogenicity</u>							
Conclusion/Summary	Not classified as carcinogenic, teratogenic and mutagenic						
Reproductive toxicity							
Conclusion/Summary	Not consider	red to be to	xic to the rep	roductive sys	stem.		

12 . Ecological Information							
Environmental effects	No known significant effects	or critical hazards.					
United States							
Aquatic ecotoxicity							
Product/ingredient name urea	Test -	Result Acute LC50 22500 mg/l Fresh water	Species Fish - Tilapia mossambica	Exposure 96 hours			
potassium chloride	-	Acute LC50 337 mg/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours			
	-	Acute LC50 880000 to 1020000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 1 to 7 days	96 hours			
Conclusion/Summary	Very low toxicity to humans o	or animals.					
<u>Canada</u>							
Aquatic ecotoxicity							
Product/ingredient name urea	Test -	Result Acute LC50 22500 mg/l Fresh water	Species Fish - Tilapia mossambica	Exposure 96 hours			
Conclusion/Summary	Very low toxicity to humans of	or animals.					
<u>Mexico</u>	-						
Conclusion/Summary	Very low toxicity to humans of	or animals.					

13. Disposal Considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Trans	14 . Transport Information							
Regulatory information	UN number	Shipping name	Classes	PG*	Label	Additional information		
DOT Classification	Not regulated.	-	-	-		-		
TDG Classification	Not regulated.	-	-	-		-		
Mexico Classification	Not regulated.	-	-	-		-		
PG* : Packing group								

15. Regulatory Information

United States

HCS Classification Target organ effects

U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: urea; potassium chloride; Limestone SARA 311/312 MSDS distribution - chemical inventory - hazard identification: potassium chloride: Immediate (acute) health hazard, Delayed (chronic) health hazard; Limestone: Immediate (acute) health hazard

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

,

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Clean Air Act Section 602

Not listed

Class I Substances

SPREAD IT & FORGET IT® plus Dimension 0.15% Herbicide

15. Regulatory Information

Clean Air Act Section 602

Not listed

Class II Substances

DEA List I Chemicals (Precursor Chemicals)

Not listed

DEA List II Chemicals (Essential Chemicals)

Not listed

State regulations

Connecticut Carcinogen Reporting: None of the components are listed. **Connecticut Hazardous Material Survey**: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components

are listed.

Louisiana Reporting: None of the components are listed.
Louisiana Spill: None of the components are listed.
Massachusetts Spill: None of the components are listed.

Massachusetts Substances: The following components are listed: CALCIUM

CARBONATE

Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: The following components are listed: CALCIUM

CARBONATE; LIMESTONE

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed.

New York Acutely Hazardous Substances: None of the components are listed.

New York Toxic Chemical Release Reporting: None of the components are listed.

Pennsylvania RTK Hazardous Substances: The following components are listed:

LIMESTONE

Rhode Island Hazardous Substances: None of the components are listed.

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

Ingredient name	<u>Cancer</u>	Reproductive	No significant risk	<u>Maximum</u>
			<u>level</u>	acceptable dosage
0 (0:00)				4

Quartz (SiO2) Yes. No. No. No.

United States inventory

(TSCA 8b)

Not determined.

<u>Canada</u>

WHMIS (Canada) Class D-2A: Material causing other toxic effects (Very toxic).

Canadian lists CEPA Toxic substances: None of the components are listed.

Canadian ARET: None of the components are listed. **Canadian NPRI**: None of the components are listed.

Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

Canada inventory Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification

Page: 10/12

15. Regulatory Information

Health 0 0 Flammability
Special

EU regulations

Risk phrases This product is not classified according to EU legislation.

International regulations

International lists Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined.

Japan inventory: Not determined.

Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

Chemical Weapons
Convention List

Convention List Schedule I Chemicals

Chemical Weapons

Convention List Schedule II Chemicals

Chemical Weapons

Convention List Schedule III Chemicals

Not listed

Not listed

Not listed

16. Other information

Label requirements

CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.


Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. Suggested protective clothing might not be adequate. Consult a specialist before handling this product.

National Fire Protection Association (U.S.A.)



16. Other information

Date of issue 07/01/2014

Version 1.01

Indicates information that has changed from previously issued version.

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.

Page: 12/12