SAFETY DATA SHEET



1. Identification

Product identifier POLYON® Urea (All grades)

Other means of identification

Product code KAS_POLYONUREA_US_EN

Synonyms POLYON® Urea 44-0-0 * POLYON® Urea 43-0-0 * POLYON® Urea 42-0-0 * POLYON® Urea

44.5-0-0 * POLYON® Urea 43.5-0-0 * POLYON® Urea 41-0-0 * POLYON® Urea 37-0-0 *

POLYON® Urea 38.5-0-0 * POLYON® Urea 40-0-0 * POLYON® Urea Mini 43-0-0

Recommended use Fertilizer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Koch Agronomic Services, LLC

4111 E 37th St N Wichita, KS 67220 US kochmsds@kochind.com

1.866.863.5550

Emergency For Chemical Emergency

Call CHEMTREC day or night USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531

Outside USA/Canada - 1.703.527.3887

(collect calls accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%	
Urea	57-13-6	80 - 100	
Polymer Coating	Mixture	1 - 20	

< 2 Non-hazardous ingredients **Proprietary**

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.

4. First-aid measures

Eye contact

delayed

Move to fresh air. Get medical attention if any discomfort continues. Inhalation

Skin contact Wash contact areas with soap and water. Get medical attention if irritation develops and persists.

> Dust in the eyes: Do not rub eyes. Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation persists after washing.

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Ingestion

Eye contact: Symptoms can include irritation, redness, scratching of the cornea, and tearing. Most important Skin contact: May cause mild skin irritation. symptoms/effects, acute and

Dust may irritate throat and respiratory system and cause coughing.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions Use fire-extinguishing media appropriate for surrounding materials.

None known.

Urea is non-combustible under most conditions. However, during a fire, irritating/toxic gases may be generated. The dust can be ignited at very high temperatures, but not expected to explode (minimum ignition temperature (cloud) = 900 deg C.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do it without risk. Use water spray to prevent dust formation, absorb heat, keep containers cool and protect fire-exposed material.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation of dust and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. After removal flush contaminated area thoroughly with water.

Never return spills to original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of dust and contact with skin and eyes. Use only with adequate ventilation. Avoid generation and spreading of dust. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Dust	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Inhalable particles.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of dust. controls

Individual protection measures, such as personal protective equipment

Skin protection

Eye/face protection

Hand protection Risk of contact: Wear protective gloves. Suitable gloves can be recommended by the glove

supplier.

Normal work clothing (long sleeved shirts and long pants) is recommended. Other

Use tight fitting goggles if dust is generated.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR

1910.134 and ANSI Z88.2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

9. Physical and chemical properties

Appearance

Solid. Physical state

Form Granular solid. Color Green to dark green.

Odor Odorless. **Odor threshold** Not available. pН Not available. 273.2 °F (134 °C) Melting point/freezing point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Vapor pressure Not available. Vapor density Relative density 1.33 g/cm³ 68 °F (20 °C) Relative density temperature

Solubility(ies)

624 g/l @ 68°F (20°C) Solubility (water)

Partition coefficient < -1.73

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

POLYON® Urea (All grades) SDS US

927136 Version #: 01 Revision date: -Issue date: 01-June-2015 Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

Chemical stability Normally stable. May gradually give off ammonia. The product is hygroscopic and will absorb water

by contact with the moisture in the air.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Moisture. High temperatures. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Nitric acid. Nitrites.

Hazardous decomposition

products

Carbon oxides. Nitrogen oxides (NOx). Ammonia. Biuret.

11. Toxicological information

Information on likely routes of exposure

Inhalation High concentrations of dust may irritate throat and respiratory system and cause coughing.

Skin contact Dust may irritate skin.

Eye contact Dust may irritate the eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms can include irritation, redness, scratching of the cornea, and tearing.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

Urea (CAS 57-13-6)

Acute Oral

LD50 Rat 14300 mg/kg

Skin corrosion/irritation May cause irritation through mechanical abrasion.

Serious eye damage/eye May cause irritation through mechanical abrasion.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityBased on available data, the classification criteria are not met. **Specific target organ toxicity -**Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Not an aspiration hazard.

Chronic effects Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

Further information No other specific acute or chronic health impact noted.

POLYON® Urea (All grades)

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results Components Species

Urea (CAS 57-13-6)

Aquatic

Ecotoxicity

LC50 Fish Leuciscus idus > 6810 mg/l, 96 hours

Persistence and degradability No data available. Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

POLYON® Urea (All grades) < -1.73 Urea (CAS 57-13-6) -2.11

This product is water soluble and may disperse in soil. Mobility in soil

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all

applicable regulations.

Disposal recommendations are based on material as supplied. Disposal must be in accordance Local disposal regulations

with current applicable laws and regulations, and material characteristics at time of disposal.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable. However, the product is covered under Appendix I of the IMSBC Code.

the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

POLYON® Urea (All grades) 5/7

927136 Version #: 01 Revision date: -Issue date: 01-June-2015

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug
Administration (FDA)

Total food additive
Direct food additive

GRAS food additive

US state regulationsThis product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*United States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-June-2015

Revision date - 01

Further information HMIS® is a registered trade and service mark of the NPCA. A HMIS® Health rating including an *

indicates a chronic hazard.

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA ratings



List of abbreviations

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

References ECHA CHEM

EPA: Acquire database

HSDB® - Hazardous Substances Data Bank

RTECS

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.